

VANITY TOPS

*Exceptional Value
Beautiful Colors
Quality Materials
Style and Function*



MARBLE GREY QUARTZ VANITY TOP - EASED EDGE








Quartz

Sizes

25"x22"	SMVTQU2522-
31"x22"	SMVTQU3122-
37"x22"	SMVTQU3722-
49"x22"	SMVTQU4922-
61"x22"	SMVTQU6122-

Available Hole Placements:
Ctr (1), 4"cc (4), or 8"cc (8)
Example: SMVTQU2522-1

Quartz Colors

Classic	Marble Pattern			
				
Mia White C01	White 01	White Carrara M10	Marble Grey M20	Black Carrara M30

STOCK VANITY TOPS







Material	*QUARTZ	
Length	Classic	Marble
**STOCKED TOPS		
25"	x	x
31"	x	x
37"	x	x
43"		
49"	x	x
61"		
61" Double	x	x
side splash	x	x


*Stock Quartz only available in Mia White, White Carrara, Marble Grey and Black Carrara.

**Available in August 2025.



MINI CUSTOM VANITY TOPS

Quartz Colors					
					
Mia White C01	White Carrara M10	Marble Grey M20	Black Carrara M30	Awaken Gold M40	Misty Grey M50
Solid Surface Colors					
					
White 01	Carrara 47	Butterscotch 48	Creme 49	Moonstone 50	



FRONT EDGE PROFILES

Eased Edge included on Mini Custom



BACKSPLASH

Loose 4" high included on Custom Tops

MINI CUSTOM VANITY TOPS

Material	QUARTZ	SOLID SURFACE
Length	CUSTOM	
Up to 25-in		
Up to 31-in		
Up to 37-in		
Up to 43-in		
Up to 49-in		
Up to 61-in		
Up to 73-in		
Up to 85-in		
Up to 97-in		

ADD TO VANITY TOP PRICE	
Double Bowl Cutout (available on 49" or greater)	
Side Splash	

CHOICE OF BOWLS

VITREOUS CHINA Undermount



SML-1530 Millwood 17"x14½"
White 01, Biscuit 08 (included)



SML-1580 Hensley 18"x12"
White 01



SML-1570 Vail 17"x13"
White 01

VITREOUS CHINA Undermount for 19" D tops



SML-1520 Millwood 15"x12"
White 01



SML-1590 Hensley 16"x11"
White 01

VITREOUS CHINA Vessels



SML-1620 Tahoe 20"x14"x4½"
White 01 (A)



SML-1630 Aberdeen 16½"Dia.x5"
White 01 (D)



SML-1640 Fresno 24"x16"x5"
White 01 (D)

GLASS, MARBLE, FIRECLAY Vessels



SMVSL123 Salinas glass
16½"x16½"x5" (C)



SM-FO4012 Medford marble
15¼"x15¼"x5" Black (E)



SMVSL047 Malden fireclay
16¼"Dx6" White/Green (D)

LAVATORIES

Transform your bathroom with our premium selection of lavatory sinks, combining timeless designs with exceptional quality. Whether you're remodeling or starting from scratch, our range of lavatory sinks is crafted to meet every style and functional need. Explore a variety of styles and materials designed to complement any bathroom aesthetic. Our pedestal sinks offer a classic, clean look while maximizing space.

**TAHOE SML-1620****MILLWOOD
SMLP-1444**

Perfect for a seamless and polished look, our drop-in sinks are designed to fit into a pre-cut countertop. For a minimalist, clean design, our undermount sinks offer a smooth, uninterrupted countertop surface. Available in a range of premium materials, our vessel sinks offer a perfect blend of modern design and exceptional durability.

LAVATORIES

PEDESTALS Pedestal & Drop-In

MILLWOOD PETITE
PEDESTAL LAVATORY

SPECIFICATIONS



SMLP-1444 Combination: L19¼" x W17⅝" x H35⅝"

SML-1444 Lav L19¼" x W17⅝" x H5¼"

SMP-1440 Pedestal L8½" x W8½" x H29⅞"

Vitreous china. Full luxury height. Contemporary styled lavatory and pedestal.
Lavatory feature 4" center faucet hole drillings and concealed overflow.
K1100 installation kit. 5 year warranty.

Model No.	Description	WHITE LIST	BISCUIT LIST	Ship Wt. (lbs)
COMPLETE KIT				
SMLP-1444	Comb: Lav & Pedestal		N/A	37.4
COMPONENTS				
SML-1444	Lavatory Bowl - 4" cc		N/A	19.8
SMP-1440	Pedestal only		N/A	17.6





ASHLAND DROP-IN LAVATORY

SPECIFICATIONS

SML-1554 L20¼" x W17⅝" x H7½"

Vitreous china. Oval self-rimming countertop mount. Lavatory features 4" faucet hole drillings and front overflow. Complies with ADA requirements for accessibility. 5 year warranty.

Model No.	Description	WHITE LIST	BISCUIT LIST	Ship Wt. (lbs)
COUNTERTOP LAVATORY				
SML-1554	Lavatory Bowl - 4" cc		N/A	17.0





PARMA DROP-IN LAVATORY

SPECIFICATIONS


SML-1564 L19½" x W19½" x H8"

Vitreous china. Round self-rimming countertop mount. Lavatory features 4" faucet hole drillings and front overflow. Complies with ADA requirements for accessibility. 5 year warranty.

Model No.	Description	WHITE LIST	BISCUIT LIST	Ship Wt. (lbs)
COUNTERTOP LAVATORY				
SML-1564	Lavatory Bowl - 4" cc		N/A	17.0



When installed at proper height meets the Americans with Disabilities Act guidelines and ANSI A117.1 requirements for accessible and usable building facilities - check local codes.



MILLWOOD PETITE UNDERMOUNT LAVATORY


SPECIFICATIONS

SML-1520

L17" x W14 1/4" x H7 1/2"

Vitreous china. Oval under counter mount. Unglazed rim. Concealed overflow. Installation clips. 5 year warranty.

Model No.	Description	WHITE LIST	BISCUIT LIST	Ship Wt. (lbs)
UNDER COUNTER LAVATORY				
SML-1520	Lavatory Bowl - no faucet drillings		N/A	14.3



MILLWOOD GRANDE UNDERMOUNT LAVATORY


SPECIFICATIONS

SML-1530

L19" x W15 5/8" x H8"

Vitreous china. Oval under counter mount. Unglazed rim. Concealed front overflow. Installation clips. 5 year warranty.

Model No.	Description	WHITE LIST	BISCUIT LIST	Ship Wt. (lbs)
UNDER COUNTER LAVATORY				
SML-1530	Lavatory Bowl - no faucet drillings			17.6



HENSLEY GRANDE UNDERMOUNT LAVATORY


SPECIFICATIONS

SML-1580

L20 1/4" x W14 1/4" x H8 1/8"

Vitreous china. Rectangular under counter mount. Unglazed rim. Concealed front overflow. No faucet holes. Installation clips. 5 year warranty.

Model No.	Description	WHITE LIST	BISCUIT LIST	Ship Wt. (lbs)
UNDER COUNTER LAVATORY				
SML-1580	Rectangular Under Counter Sink		N/A	22.0



HENSLEY PETITE UNDERMOUNT LAVATORY

SPECIFICATIONS

SML-1590

L18 1/8" x W13" x H7 3/32"

Vitreous china. Rectangular under counter mount. Unglazed rim. Concealed front overflow. No faucet holes. Installation clips. 5 year warranty.

Model No.	Description	WHITE LIST	BISCUIT LIST	Ship Wt. (lbs)
UNDER COUNTER LAVATORY				
SML-1590	Rectangular Under Counter Sink		N/A	15.4



When installed at proper height meets the Americans with Disabilities Act guidelines and ANSI A117.1 requirements for accessible and usable building facilities - check local codes.

LAVATORIES

UNDERMOUNT & VESSEL



VAIL UNDERMOUNT LAVATORY


SPECIFICATIONS

SML-1570

L19¹³/₁₆" x W15⁵/₈" x D6³/₄"

White vitreous china bathroom sink for under counter installation. No faucet holes

Model No.	Description	WHITE LIST	Ship Wt. (lbs)
UNDER COUNTER LAVATORY			
SML-1570	Rectangular Under Counter Sink		22.0



TAHOE ABOVE COUNTER


SPECIFICATIONS

SML-1620

L19⁹/₈" x W14¹/₈" x D4³/₈"

White vitreous china rectangular vessel sink for above counter installation. Concealed drain. Use with vessel or wall-mount faucet (not included).

Model No.	Description	LIST	Ship Wt. (lbs)
SML-1620	Rectangular Vessel Sink		22.0



ABERDEEN ABOVE COUNTER


SPECIFICATIONS

SML-1630

Diameter 16¹/₂" x D5¹/₈"

White vitreous china round vessel sink for above counter installation. Concealed drain. Use with vessel or wall-mount faucet (not included).

Model No.	Description	LIST	Ship Wt. (lbs)
SML-1630	Round Vessel Sink		24.2



FRESNO ABOVE COUNTER


SPECIFICATIONS


SML-1640

L23⁵/₈" x W15³/₄" x D5¹/₈"

White vitreous china rectangular vessel sink for above counter installation. Concealed drain. Use with vessel or wall-mount faucet (not included).

Model No.	Description	LIST	Ship Wt. (lbs)
SML-1640	Rectangular Vessel Sink		24.2





MALDEN FIRECLAY VESSEL


SPECIFICATIONS

SMVSL047

L16 $\frac{3}{4}$ " x W16 $\frac{3}{4}$ " x D5 $\frac{3}{4}$ "

Handcrafted white/green fireclay round vessel sink. No overflow. Heated to 1600°F making the sink hard and durable. Above counter installation. Designed for use with vessel or wall-mount faucet (not included).

Model No.	Description	LIST	Ship Wt. (lbs)
SMVSL047	Round Vessel Sink		20



MEDFORD MARBLE VESSEL


SPECIFICATIONS

SM-FO4012

L15 $\frac{3}{4}$ " x W15 $\frac{3}{4}$ " x D4 $\frac{3}{4}$ "

Black marble abstract square shape vessel sink. No overflow. Made of marble which is a natural stone and each sink will vary in color. Above counter installation. Designed for use with vessel or wall-mount faucet (not included).

Model No.	Description	LIST	Ship Wt. (lbs)
SM-FO4012	Round Vessel Sink		18



SALINAS GLASS VESSEL

SPECIFICATIONS

SMVSL123

L16 $\frac{5}{16}$ " x W16 $\frac{5}{16}$ " x D5 $\frac{1}{16}$ "

Clear glass square vessel sink. No overflow. Above counter installation. Designed for use with vessel or wall-mount faucet (not included).

Model No.	Description	LIST	Ship Wt. (lbs)
SMVSL123	Square Vessel Sink		16



When installed at proper height meets the Americans with Disabilities Act guidelines and ANSI A117.1 requirements for accessible and usable building facilities - check local codes.

**ABERDEEN
SML-1630****PARMA SML-1564**



Camila
Shown with Camila LED Illuminated Mirror.

Smokey Grey

Shown with SMVM3634-MR-SG mirror and SMV3621DR-ASM-FR01-SG vanity combo base cabinet.



MIRRORS

Standing elegantly at 34-inches high, the framed vanity mirror boasts a plywood frame that comes in both Remington and Latitude styles and in six colors to seamlessly integrate with your vanity cabinet. Their six versatile widths offer the perfect size to suite your space. For a touch of modern luxury, we also offer LED mirrors in various sizes. These mirrors are designed with a 5mm thick construction, providing a robust yet sleek profile. The LED option includes energy-efficient lighting and can be controlled via a wall switch or a touch on/off sensor for ease of use and added convenience.

Our mirror collection boasts options to suite your taste from classic elegance of the Remington style vanity framed mirror to modern minimalism of the Latitude style vanity framed mirror to modern innovation of the frameless LED mirror. These mirrors offer the perfect finishing touch to elevate your bathroom's design and functionality.



Eclipse **SMLME3524**

High quality 5mm wall mirrors with illuminating LED lighting. Adaptable for wall switch or touch on/off sensor on mirror. Includes power supply, mounting hardware. Approx. 50,000 hours, 15 watts, 120v. UL approved components. Requires hard wiring.



**Touch On/Off
Sensor on Mirror**




Light On






Light Off



Touch Sensor On



Touch Sensor Off




Mirror Back

UL Approved
Includes power supply
and hardware
Adaptable for wall switch
or touch on/off sensor on
mirror



LED Mirror Production Process

Glass
Polish
Super sensitisation layer of precious metal
Sliver
Purify
First leadless paint
Second leadless paint




Mateo SMLMM4728



Fargo SMLMF3020



Hayden SMLMH2623L and SMLMH2623R




24" Framed Mirror

Model No.	Group A	Group B	Group C	Description	Width	Height	Depth
REMINGTON							
SMVM2434-MR-FR01-				Overall Dimensions	24"	34"	3/4"
LATITUDE							
SMVM2434-MR-FR02-				Overall Dimensions	24"	34"	3/4"

3" width plywood Remington frame. 2" width plywood Latitude frame.

Colors match vanity cabinet colors.

Remington available. Latitude coming soon.




30" Framed Mirror

Model No.	Group A	Group B	Group C	Description	Width	Height	Depth
REMINGTON							
SMVM3034-MR-FR01-				Overall Dimensions	30"	34"	3/4"
LATITUDE							
SMVM3034-MR-FR02-				Overall Dimensions	30"	34"	3/4"

3" width plywood Remington frame. 2" width plywood Latitude frame.

Colors match vanity cabinet colors.

Remington available. Latitude coming soon.




36" Framed Mirror

Model No.	Group A	Group B	Group C	Description	Width	Height	Depth
REMINGTON							
SMVM3634-MR-FR01-				Overall Dimensions	36"	34"	3/4"
LATITUDE							
SMVM3634-MR-FR02-				Overall Dimensions	36"	34"	3/4"

3" width plywood Remington frame. 2" width plywood Latitude frame.

Colors match vanity cabinet colors.

Remington available. Latitude coming soon.




42" Framed Mirror

Model No.	Group A	Group B	Group C	Description	Width	Height	Depth
REMINGTON							
SMVM4234-MR-FR01-				Overall Dimensions	42"	34"	3/4"
LATITUDE							
SMVM4234-MR-FR02-				Overall Dimensions	42"	34"	3/4"

3" width plywood Remington frame. 2" width plywood Latitude frame.

Colors match vanity cabinet colors.

Remington available. Latitude coming soon.




48" Framed Mirror

Model No.	Group A	Group B	Group C	Description	Width	Height	Depth
REMINGTON							
SMVM4834-MR-FR01-				Overall Dimensions	48"	34"	3/4"
LATITUDE							
SMVM4834-MR-FR02-				Overall Dimensions	48"	34"	3/4"

3" width plywood Remington frame. 2" width plywood Latitude frame.

Colors match vanity cabinet colors.

Remington available. Latitude coming soon.



54" Framed Mirror

Model No.	Group A	Group B	Group C	Description	Width	Height	Depth
REMINGTON							
SMVM5434-MR-FR01-				Overall Dimensions	54"	34"	3/4"
LATITUDE							
SMVM5434-MR-FR02-				Overall Dimensions	54"	34"	3/4"

3" width plywood Remington frame. 2" width plywood Latitude frame.

Colors match vanity cabinet colors.

Remington available. Latitude coming soon.

Group A
COLOR



Caramel **CA**

Group B
COLOR



White **WH**

Group C COLORS



Green **GR**



Light Grey **LG**



Navy Blue **NB**



Smokey Grey **SG**



ECLIPSE LED ILLUMINATED MIRROR


SPECIFICATIONS

Size: W21²³/₃₂" x H31⁵⁷/₆₄"
 W31¹/₂" x H24¹/₆₄"
 W35⁷/₁₆" x H24¹/₆₄"
 W47¹/₄" x H24¹/₆₄"

Ship Wt: 13.36 lbs.
 Ship Wt: 14.12 lbs.
 Ship Wt: 16.50 lbs.
 Ship Wt: 21.26 lbs.

High quality 5mm wall mirror with illuminating LED lighting. Adaptable for wall switch or touch on/off sensor on mirror. Includes power supply, mounting hardware. Approx. 50,000 hours, 15 watts, 120v. UL approved components. Requires hard wiring. This mirror is front lite. 1 yr. warranty.

Model	Description	LIST
SMLME2232	21 ²³ / ₃₂ " x 32" LED Mirror	
SMLME3124	31 ¹ / ₂ " x 24 ¹ / ₆₄ " LED Mirror	
SMLME3524	35 ⁷ / ₁₆ " x 24 ¹ / ₆₄ " LED Mirror	
SMLME4724	47 ¹ / ₄ " x 24 ¹ / ₆₄ " LED Mirror	



MATEO LED ILLUMINATED MIRROR


SPECIFICATIONS

Size: W23⁵/₈" x H27⁹/₁₆"
 W31¹/₂" x H27⁹/₁₆"
 W35⁷/₁₆" x H27⁹/₁₆"
 W47¹/₄" x H27⁹/₁₆"

Ship Wt: 17.14 lbs.
 Ship Wt: 23.60 lbs.
 Ship Wt: 26.14 lbs.
 Ship Wt: 35.00 lbs.

High quality 5mm wall mirror with illuminating LED lighting. Adaptable for wall switch or touch on/off sensor on mirror. Includes power supply, mounting hardware. Approx. 50,000 hours, 15 watts, 120v. UL approved components. Requires hard wiring. This mirror is front lite. 1 yr. warranty.

Model	Description	LIST
SMLMM2428	23 ⁵ / ₈ " x 27 ⁹ / ₁₆ " LED Mirror	
SMLMM3128	31 ¹ / ₂ " x 27 ⁹ / ₁₆ " LED Mirror	
SMLMM3528	35 ⁷ / ₁₆ " x 27 ⁹ / ₁₆ " LED Mirror	
SMLMM4728	47 ¹ / ₄ " x 27 ⁹ / ₁₆ " LED Mirror	



GRIFFIN LED ILLUMINATED MIRROR


SPECIFICATIONS


Size: W23⁵/₈" x H19¹¹/₁₆"
 W29¹⁷/₃₂" x H27⁹/₁₆"
 W35⁷/₁₆" x H27⁹/₁₆"
 W47¹/₄" x H27⁹/₁₆"

Ship Wt: 13.11 lbs.
 Ship Wt: 18.12 lbs.
 Ship Wt: 22.00 lbs.
 Ship Wt: 27.19 lbs.

High quality 5mm wall mirror with illuminating LED lighting. Adaptable for wall switch or touch on/off sensor on mirror. Includes power supply, mounting hardware. Approx. 50,000 hours, 15 watts, 120v. UL approved components. Requires hard wiring. This mirror is front lite. 1 yr. warranty.

Model	Description	LIST
SMLMG2420	23 ⁵ / ₈ " x 19 ¹¹ / ₁₆ " LED Mirror	
SMLMG3028	29 ¹⁷ / ₃₂ " x 27 ⁹ / ₁₆ " LED Mirror	
SMLMG3528	35 ⁷ / ₁₆ " x 27 ⁹ / ₁₆ " LED Mirror	
SMLMG4728	47 ¹ / ₄ " x 27 ⁹ / ₁₆ " LED Mirror	





SULLIVAN LED ILLUMINATED MIRROR


SPECIFICATIONS

Size: W19¹¹/₁₆" x H23⁵/₈"
W23⁵/₈" x H31¹/₂"

Ship Wt: 15.34 lbs.
Ship Wt: 21.12 lbs.

High quality 5mm wall mirror with illuminating LED lighting. Adaptable for wall switch or touch on/off sensor on mirror. Includes power supply, mounting hardware. Approx. 50,000 hours, 15 watts, 120v. UL approved components. Requires hard wiring. This mirror is back lite. 1 yr. warranty.

Model	Description	LIST
SMLMS2024	19 ¹¹ / ₁₆ " x 23 ⁵ / ₈ " LED Mirror	
SMLMS2431	23 ⁵ / ₈ " x 31 ¹ / ₂ " LED Wall Mirror	



VENICE LED ILLUMINATED MIRROR


SPECIFICATIONS

Size: W35⁷/₁₆" x H29¹⁷/₃₂"

Ship Wt: 29.16 lbs.

High quality 5mm wall mirror with illuminating LED lighting. Adaptable for wall switch or touch on/off sensor on mirror. Includes power supply, mounting hardware. Approx. 50,000 hours, 15 watts, 120v. UL approved components. Requires hard wiring. This mirror is front lite. 1 yr. warranty.

Model	Description	LIST
SMLMV3530	35 ⁷ / ₁₆ " x 29 ¹⁷ / ₃₂ " LED Mirror	



TOLEDO LED ILLUMINATED MIRROR

SPECIFICATIONS

Size: W23⁵/₈" x H23⁵/₈"
W31¹/₂" x H23⁵/₈"
W35⁷/₁₆" x H23⁵/₈"
W39³/₈" x H23⁵/₈"
W47¹/₄" x H23⁵/₈"
W55¹/₈" x H23⁵/₈"

Ship Wt: 15.14 lbs.
Ship Wt: 20.12 lbs.
Ship Wt: 24.00 lbs.
Ship Wt: 25.13 lbs.
Ship Wt: 28.40 lbs.
Ship Wt: 29.12 lbs.

High quality 5mm wall mirror with illuminating LED lighting. Adaptable for wall switch or touch on/off sensor on mirror. Includes power supply, mounting hardware. Approx. 50,000 hours, 15 watts, 120v. UL approved components. Requires hard wiring. This mirror is back lite. 1 yr. warranty.

Model	Description	LIST
SMLMT2424	23 ⁵ / ₈ " x 23 ⁵ / ₈ " LED Mirror	
SMLMT3124	31 ¹ / ₂ " x 23 ⁵ / ₈ " LED Mirror	
SMLMT3524	35 ⁷ / ₁₆ " x 23 ⁵ / ₈ " LED Mirror	
SMLMT3924	39 ³ / ₈ " x 23 ⁵ / ₈ " LED Mirror	
SMLMT4724	47 ¹ / ₄ " x 23 ⁵ / ₈ " LED Mirror	
SMLMT5524	55 ¹ / ₈ " x 23 ⁵ / ₈ " LED Mirror	





SMLMH2623L

SMLMH2623R

HAYDEN LED ILLUMINATED MIRROR


SPECIFICATIONS

Size: W25¹⁹/₃₂" x H23¹⁵/₆₄"

Ship Wt: 23.13 lbs.

High quality 5mm wall mirror with illuminating LED lighting. Adaptable for wall switch or touch on/off sensor on mirror. Includes power supply, mounting hardware. Approx. 50,000 hours, 15 watts, 120v. UL approved components. Requires hard wiring. This mirror is back lite. 1 yr. warranty.

Model	Description	LIST
SMLMH2623L	25 ¹⁹ / ₃₂ " x 23 ¹⁵ / ₆₄ " LED Mirror Left	
SMLMH2623R	25 ¹⁹ / ₃₂ " x 23 ¹⁵ / ₆₄ " LED Mirror Right	

**CAMILA LED ILLUMINATED MIRROR**


SPECIFICATIONS

Size: W31³/₈" x H31³¹/₃₂"

Ship Wt: 40.55 lbs.

High quality 5mm wall mirror with illuminating LED lighting. Custom 2X magnification inserted into mirror. Adaptable for wall switch or touch on/off sensor on mirror. Includes power supply, mounting hardware. Approx. 50,000 hours, 15 watts, 120v. UL approved components. Requires hard wiring. This mirror is back lite. 1 yr. warranty.

Model	Description	LIST
SMLMC3132	31 ³ / ₈ " x 31 ³¹ / ₃₂ " LED Mirror	

**GABLE LED ILLUMINATED MIRROR**


SPECIFICATIONS

Size: W35⁷/₁₆" x H23⁵/₈"

Ship Wt: 24.05 lbs.

High quality 5mm wall mirror with illuminating LED lighting. Adaptable for wall switch or touch on/off sensor on mirror. Includes power supply, mounting hardware. Approx. 50,000 hours, 15 watts, 120v. UL approved components. Requires hard wiring. This mirror is back lite. 1 yr. warranty.

Model	Description	LIST
SMLMG3524	35 ⁷ / ₁₆ " x 23 ⁵ / ₈ " LED Mirror	

**FARGO LED ILLUMINATED MIRROR**

SPECIFICATIONS

Size: W23³/₈" x H27⁹/₁₆"

Ship Wt: 17.14 lbs.

W31¹/₂" x H27⁹/₁₆"

Ship Wt: 23.60 lbs.

W35⁷/₁₆" x H27⁹/₁₆"


Ship Wt: 26.14 lbs.

W47¹/₄" x H27⁹/₁₆"

Ship Wt: 35.00 lbs.

High quality 5mm wall mirror with illuminating LED lighting. Adaptable for wall switch or touch on/off sensor on mirror. Includes power supply, mounting hardware. Approx. 50,000 hours, 15 watts, 120v. UL approved components. Requires hard wiring. This mirror is back lite. 1 yr. warranty.

Model	Description	LIST
SMLMF2422	23 ³ / ₈ " x 21 ²¹ / ₃₂ " LED Mirror	
SMLMF3022	29 ¹ / ₂ " x 21 ²¹ / ₃₂ " LED Mirror	
SMLMF3522	35 ⁷ / ₁₆ " x 21 ²¹ / ₃₂ " LED Mirror	
SMLMF4722	47 ¹ / ₄ " x 21 ²¹ / ₃₂ " LED Mirror	



SAMUEL MÜELLER



4/22/25

844-974-2400
www.samuelmueller.com