

PROJECT-READY

KITCHEN & BATH FIXTURES

FROM FIRST SPECIFICATION THROUGH FINAL DELIVERY.

ONE PARTNER FOR EVERY PHASE.

EVERYTHING YOU NEED TO SPEC, SOURCE, AND FINISH EVERY PROJECT, BACKED BY A TRADE TEAM THAT DELIVERS

- **TRUSTED PRODUCT SELECTION**
A focused assortment of sinks, faucets, showers, accessories, and ADA solutions.
- **BUILT FOR REAL-WORLD PROJECTS**
Dependable quality and installer-friendly details for high-volume specs.
- **A DEDICATED TRADE TEAM**
Responsive service and product knowledge from specification to installation.
- **CONSISTENT, COORDINATED SOLUTIONS**
Standard, ADA, and commercial products that share one cohesive look.
- **RELIABLE AVAILABILITY**
Dependable inventory, project support, and wholesale fulfillment that help keep schedules moving.



ALLORAUSA

ELEVATE EVERYDAY LIVING



A MESSAGE FROM OUR CEO

Yukie Sherwood

When we built Allora USA, we set out to solve a problem we kept seeing: project teams struggling to source kitchen and bath fixtures they could count on. That's why everything we do centers on dependable availability, trade-focused support, and specification-ready options that let multifamily, commercial, and hospitality teams move forward with confidence.

We've kept our selection focused: sinks, faucets, showers, toilets, accessories, and ADA solutions chosen to simplify planning, ordering, and installation. From single-unit renovations to large-scale developments, our goal is the same. We take the friction out of every project so your team can deliver on time.

We're proud of what we've built, and we're just getting started.

DESIGNED FOR VOLUME PROJECTS

Repeatable, scalable specifications that help maintain consistency across units, buildings, and project phases.

STANDARD & ADA COORDINATION

ADA options designed to align closely with standard counterparts for easier planning, ordering, and field coordination.

INSTALLER-FRIENDLY PLANNING

Coordinated bowl depths, matching cutouts, and simplified substitutions help reduce fabrication errors and installation risk.

DURABLE, COMMERCIAL-GRADE FINISHES

Sinks, faucets, showers, and accessories in commercial-friendly finishes for demanding spaces.

TRADE-FOCUSED SUPPORT, SPECIFICATION TO DELIVERY

Support with product selection, SKU coordination, project pricing, and fulfillment from first specification through final delivery.

TRUSTED BY PROJECT TEAMS ACROSS MULTIFAMILY & COMMERCIAL MARKETS

D-R HORTON
America's Builder

LENNAR

Van Metre

BOZZUTO

HKS

NVR

HITT

Hilton

Marriott

GREYSTAR

**the
NRP
group**

**Pulte
HOMES**

SOURCE YOUR NEXT PROJECT WITH CONFIDENCE

Request project pricing, coordinated SKU support, and standard/ADA fixture resources for multifamily, hospitality, senior living, student housing, affordable housing, and commercial applications.

Visit www.allorausacom, or connect with a project specialist at **571-291-3484**, or email sales@allorausacom.

CONTENTS

Use this table of contents to find product categories by room type, then reference the product tables for sizes, finishes, model numbers, ADA options, and base cabinet requirements. For full specifications, design files, and current product details, visit www.allorausea.com.

KITCHEN

KITCHEN SINKS 5

Standard Radius

Single Bowl Undermount Sinks	6
Double Bowl Undermount Sinks	7
Offset Double Bowl Undermount Sinks	7-8
Single Bowl Top Mount Sinks	9
Double Bowl Top Mount Sinks	9

Tight Radius

Single Bowl Undermount Sinks	10
Double Bowl Undermount Sinks	11
Farmhouse Undermount Sinks	12
Workstation Undermount Sinks	13
Gun Metal Undermount Sinks	14
Fireclay Dual Mount Sinks	15
Granite Composite Undermount Sinks	16

Zero Radius

Single Bowl Undermount Sinks	17
Double Bowl Undermount Sinks	18

KITCHEN ACCESSORIES 20

Garbage Disposal Flanges & Strainers	20
--	----

KITCHEN FAUCETS 21

Pull-Down Sprayer Single Handle Faucets	22
Standard Single Handle Faucets	23

BAR/PREP AREAS

BAR SINKS 19

Standard Radius Undermount Bar Sinks	19
Tight Radius Undermount Bar Sinks	19

BATHROOM

BATHROOM SINKS 24

Rectangular Undermount Sinks	25-27
Oval Undermount Sinks	27
Rectangular Top Mount Sinks	28
Arched Front Rectangular Top Mount Sinks	28
Semi-Recessed Vessel Sinks	29
Rectangular Wall Mount Sinks	29

BATHROOM FAUCETS 30

Single Hole Single Handle Faucets	31
Centerset Faucets	32
Widespread Dual Handle Faucets	33

ELONGATED TOILETS 34

Traditional Elongated Toilets	35
Skirted Elongated Toilets.....	35

SHOWER SYSTEMS 36

Tub & Shower Trim Kits	37
Tub & Shower Trim Kits with Hand Shower	38
Single Handle Shower Trim Kits	39
Overhead Spray & Hand Shower Systems with Slide Bar.....	40

SHOWER BASES 41

Rectangular Walk-In Shower Bases	41
Square Walk-In Shower Bases	42
Low-Threshold Shower Bases	42

BATHROOM ACCESSORIES 43

4-Piece Bathroom Accessory Sets	43
---------------------------------------	----

ADA MODEL

ADA-compliant models are available in select categories. See individual product tables for availability.

CERTIFICATIONS & STANDARDS



cUPC CERTIFIED

IAPMO certified to meet ASME, NSF standards, and UPC on select models.



WaterSense

Applicable faucets meet EPA's criteria for water efficiency and performance.



ADA COMPLIANT

Wide array of ADA-compliant products meeting ANSI A117.1 requirements.

PROJECT-MATCHED WARRANTY



CONFIDENCE THAT LASTS BEYOND INSTALLATION

Warranty coverage matched to your project type, so every build is protected on the right terms. Full warranty details are available at: www.allorausea.com/warranties



Sink: KH-3018-9-S-R20
Faucet: A-810-BN

KITCHEN SINKS

Designed for multifamily and commercial projects, Allora USA kitchen sinks combine long-term durability with practical configurations and clean, market-ready design. With a range of sizes, bowl layouts, mounting styles, compatible accessories, and ADA-compliant solutions, the collection supports straightforward selection and installation across project types. Built to balance everyday functionality, dependable quality, and coordinated design, these sinks help deliver lasting value from procurement through final installation.

Explore the full kitchen sink collection and access detailed specs at:

www.allorausea.com/kitchen-sinks



FITS 27" BASE CABINET

OVERALL SIZE (L x W)	DEPTH	MODEL #	ADA MODEL 
23" x 18"	7"	KSN-2318-7-S	ADA-KSN-2318-S
23" x 18"	9"	KSN-2318-9-S	ADA-KSN-2318-S
23" x 18"	12"	LS-2318-12-S	—

FITS 30" BASE CABINET

OVERALL SIZE (L x W)	DEPTH	MODEL #	ADA MODEL 
27" x 18"	7"	KSN-2718-7-S	ADA-KSN-2718-S
27" x 18"	9"	KSN-2718-9-S	ADA-KSN-2718-S

FITS 33" BASE CABINET

OVERALL SIZE (L x W)	DEPTH	MODEL #	ADA MODEL 
30" x 18"	7"	KSN-3018-7-S	ADA-KSN-3018-S
30" x 18"	9"	KSN-3018-9-S	ADA-KSN-3018-S

FITS 36" BASE CABINET

OVERALL SIZE (L x W)	DEPTH	MODEL #	ADA MODEL 
31" x 18"	7"	KSN-3118-7-S	—
32" x 18"	9"	KSN-3218-9-S	ADA-KSN-3218-S



Sink: KSN-2318-9-S
Faucet: A-807-BL


SINGLE BOWL STANDARD RADIUS UNDERMOUNT

Built for high-volume kitchen projects, this undermount sink line gives project teams a durable stainless standard that is easy to source, install, and maintain. Rounded corners support faster turnover cleaning, while ADA-depth models help keep accessible units in the same product family.

- **Material:** 18-gauge 304 stainless steel.
- **Install:** Undermount installation with rounded interior corners.
- **Project value:** Supports standardization across multifamily, hospitality, and accessible-unit packages.

ADA MODEL

ADA-compliant models use a reduced 5"–6" bowl depth to preserve the knee clearance required by ADA Standards at 34" counter height.




FITS 36" BASE CABINET

OVERALL SIZE (L x W)	DEPTH	MODEL #	ADA MODEL 
31" x 18"	9"	KSN-3118-9-D	ADA-KSN-3118-D
32" x 18"	9"	KSN-3218-9-D	—

DOUBLE BOWL STANDARD RADIUS UNDERMOUNT

This double-bowl undermount line gives residents a familiar wash-and-rinse layout while keeping contractors on a predictable stainless platform. It is a practical choice for projects that need durable daily-use performance without adding specification complexity.

- **Material:** 18-gauge 304 stainless steel.
- **Install:** Undermount installation for standard double-bowl kitchen layouts.
- **Project value:** ADA-depth options help align standard and accessible kitchens under one specification.




FITS 36" BASE CABINET - 70/30 BOWL SPLIT

OVERALL SIZE (L x W)	LARGE BOWL DEPTH	SMALL BOWL DEPTH	MODEL #
31" x 21"	9"	7-1/4"	KSN-2131-9-D

OFFSET DOUBLE BOWL STANDARD RADIUS UNDERMOUNT


This offset-bowl undermount collection gives spec teams more flexibility when one kitchen layout does not fit every unit. The shared stainless platform lets teams vary bowl function by floor plan or unit tier without moving to a separate sink family.

- **Material:** 18-gauge 304 stainless steel.
- **Install:** Undermount installation with asymmetric bowl layouts.
- **Project value:** Helps projects manage different kitchen plans while keeping sourcing and maintenance consistent.




FITS 36" BASE CABINET - 30/70 BOWL SPLIT

OVERALL SIZE (L x W)	SMALL BOWL DEPTH	LARGE BOWL DEPTH	MODEL #
31" x 21"	7-1/8"	8-7/8"	KSN-3121R-9-D




FITS 36" BASE CABINET - 60/40 BOWL SPLIT

OVERALL SIZE (L x W)	LARGE BOWL DEPTH	SMALL BOWL DEPTH	MODEL #
32" x 21"	8-7/8"	8"	KSN-2132-9-D



FITS 36" BASE CABINET - 40/60 BOWL SPLIT

OVERALL SIZE (L x W)	SMALL BOWL DEPTH	LARGE BOWL DEPTH	MODEL #
32" x 21"	8"	9"	KSN-3221R-9-D



SINGLE BOWL STANDARD RADIUS TOP MOUNT

This drop-in stainless sink is built for fast replacement work, occupied renovations, and value-driven new construction. The self-rimming design helps reduce countertop coordination and keeps installation straightforward during unit turns.

- **Material:** 20-gauge 304 stainless steel.
- **Install:** Top-mount/drop-in installation.
- **Project value:** Limits countertop rework and helps contractors move faster on renovation schedules.

FITS 27" BASE CABINET


OVERALL SIZE (L x W)	DEPTH	MODEL #	ADA MODEL 
25" x 22"	8"	TOP-2522-8-S	ADA-TOP-2522-S

FITS 36" BASE CABINET

OVERALL SIZE (L x W)	DEPTH	MODEL #	ADA MODEL 
33" x 22"	8"	TOP-3322-8-S	ADA-TOP-3322-S

ADA MODEL

ADA-compliant models use a reduced 5"–6" bowl depth to preserve the knee clearance required by ADA Standards at 34" counter height.




DOUBLE BOWL STANDARD RADIUS TOP MOUNT

This double-bowl drop-in sink gives properties a practical replacement option for standard kitchen packages. It delivers familiar two-bowl function while helping project teams control labor, field time, and countertop disruption.

- **Material:** 20-gauge 304 stainless steel.
- **Install:** Top-mount/drop-in installation with self-rimming edge.
- **Project value:** Useful for unit turns, renovation scopes, and portfolio refreshes.

FITS 36" BASE CABINET

OVERALL SIZE (L x W)	DEPTH	MODEL #	ADA MODEL 
33" x 22"	8"	TOP-3322-8-D	ADA-TOP-3322-D



FITS 24" BASE CABINET

OVERALL SIZE (L x W)	DEPTH	MODEL #
21" x 18"	9"	KH-2118-9-S-R20

FITS 27" BASE CABINET

OVERALL SIZE (L x W)	DEPTH	MODEL #	ADA MODEL 
23" x 18"	7"	KH-2318-7-S-R15	ADA-KH-2318-S-R20
23" x 18"	9"	KH-2318-9-S-R20	ADA-KH-2318-S-R20
23" x 18"	10"	KH-2318-10-S-R15	ADA-KH-2318-S-R20

FITS 30" BASE CABINET

OVERALL SIZE (L x W)	DEPTH	MODEL #	ADA MODEL 
25" x 18"	9"	KH-2518-9-S-R20	ADA-KH-2518-S-R20
27" x 18"	7"	KH-2718-7-S-R15	ADA-KH-2718-S-R20
27" x 18"	9"	KH-2718-9-S-R20	ADA-KH-2718-S-R20

FITS 33" BASE CABINET

OVERALL SIZE (L x W)	DEPTH	MODEL #	ADA MODEL 
29" x 18"	10"	KH-2918-10-S-R15	—
30" x 18"	7"	KH-3018-7-S-R15	ADA-KH-3018-S-R15
30" x 18"	9"	KH-3018-9-S-R20	ADA-KH-3018-S-R20
30" x 18"	9"	KH-3018-9-S-R15-GL (Gold Stainless Steel Sink)	

FITS 36" BASE CABINET

OVERALL SIZE (L x W)	DEPTH	MODEL #	ADA MODEL 
31" x 18"	9"	KH-3118-9-S-R20	ADA-KH-3118-S-R20
33" x 18"	10"	KH-3318-10-S-R15	—

FITS 39" BASE CABINET

OVERALL SIZE (L x W)	DEPTH	MODEL #
35" x 18"	10"	KH-3518-10-S-R15

SINGLE BOWL TIGHT RADIUS UNDERMOUNT

This tight-radius undermount line gives upgraded kitchens a cleaner, more current look while staying practical for large-scale specification. It works well where design expectations are higher but contractors still need a familiar stainless install.

- **Material:** 18-gauge 304 stainless steel.
- **Install:** Undermount installation with tight-radius corners.
- **Project value:** ADA-depth options help carry the same design standard into accessible units.


**ADA MODEL **

ADA-compliant models use a reduced 5"–6" bowl depth to preserve the knee clearance required by ADA Standards at 34" counter height.





Sink: KH-3118-9-D-R20
Faucet: A-809-BN



DOUBLE BOWL TIGHT RADIUS UNDERMOUNT

This double-bowl tight-radius collection pairs upgraded styling with the everyday function of a two-basin sink. It gives premium kitchen packages a sharper look while staying within a durable, service-friendly stainless program.


- **Material:** 18-gauge 304 stainless steel.
- **Install:** Undermount installation with tight-radius corners.
- **Project value:** Helps higher-tier units feel upgraded without creating a custom service path.

FITS 36" BASE CABINET

OVERALL SIZE (L x W)	DEPTH	MODEL #	ADA MODEL 
31" x 18"	9"	KH-3118-9-D-R20	ADA-KH-3118-D-R20
31" x 18"	6"	—	ADA-KH-3118-D-R15
32" x 18"	7"	KH-3218-7-D-R15	—



Sink: KH-3021-9-S-R15-MF
Faucet: A-806-BN



FARMHOUSE TIGHT RADIUS UNDERMOUNT

This apron-front undermount sink brings a farmhouse look into premium units, model kitchens, and hospitality spaces without moving away from stainless durability. It creates a visible upgrade while staying practical for repeatable commercial specification.

- **Material:** 18-gauge 304 stainless steel.
- **Install:** Apron-front undermount installation.
- **Project value:** Adds a premium kitchen feature while keeping maintenance and material expectations familiar.

FITS 33" BASE CABINET

OVERALL SIZE (L x W)	DEPTH	MODEL #
30" x 21"	9"	KH-3021-9-S-R15-MF

FITS 36" BASE CABINET

OVERALL SIZE (L x W)	DEPTH	MODEL #
33" x 21"	9"	KH-3321-9-S-R15-MF

FITS 39" BASE CABINET

OVERALL SIZE (L x W)	DEPTH	MODEL #
36" x 21"	9"	KH-3621-9-S-R15-MF



FITS 27" BASE CABINET

OVERALL SIZE (L x W)	DEPTH	MODEL #
23" x 18"	10"	KHWS-2318-10-S-R15

FITS 30" BASE CABINET

OVERALL SIZE (L x W)	DEPTH	MODEL #
27" x 18"	10"	KHWS-2718-10-S-R15

FITS 33" BASE CABINET

OVERALL SIZE (L x W)	DEPTH	MODEL #
30" x 18"	10"	KHWS-3018-10-S-R15

FITS 36" BASE CABINET


OVERALL SIZE (L x W)	DEPTH	MODEL #
31" x 19"	9"	KHWS-3119-9-S-R20
33" x 18"	10"	KHWS-3318-10-S-R15
33" x 18"	10"	KHWS-3318-10-D-R15



WORKSTATION TIGHT RADIUS UNDERMOUNT- SINGLE BOWL

This workstation sink adds usable prep space directly at the sink, making it a strong upgrade for compact kitchens, premium units, and hospitality applications. The included accessory kit gives purchasing teams one coordinated package instead of multiple add-on items.

- **Material:** 18-gauge 304 stainless steel.
- **Install:** Undermount installation with integrated workstation ledge.
- **Project value:** Bundled accessories reduce separate sourcing and help create a stronger kitchen amenity package – cutting board, roll-up drying rack, colander, bottom grid, and strainer.




KHWS-3318-10-D-R15
WORKSTATION TIGHT RADIUS UNDERMOUNT- DOUBLE BOWL

The 33-inch Allora USA Stainless Steel Workstation Double Bowl Sink brings flexible prep, cleaning, and drying space to busy kitchens. Its built-in ledge supports custom accessories, while the lowered divider, tight-radius corners, and brushed stainless finish deliver a clean, professional design.



Sink: KH-2718-10-S-R15-GM
Faucet: A-805-BL



GUN METAL TIGHT RADIUS UNDERMOUNT

This gun metal undermount sink gives premium units and model homes a stronger design statement while staying within the tight-radius stainless platform. The finish upgrade helps differentiate higher-tier kitchens without changing the basic installation approach.

- **Material:** 18-gauge 304 stainless steel with PVD gun metal finish.
- **Install:** Undermount installation.
- **Project value:** Adds visual differentiation for premium kitchens while keeping field workflow consistent.

FITS 30" BASE CABINET

OVERALL SIZE (L x W)	DEPTH	MODEL #
27" x 18"	10"	KH-2718-10-S-R15-GM

FITS 33" BASE CABINET


OVERALL SIZE (L x W)	DEPTH	MODEL #
30" x 18"	10"	KH-3018-10-S-R15-GM



FIRECLAY TIGHT RADIUS DUAL MOUNT

This fireclay sink collection gives luxury multifamily, boutique hospitality, and designed renovations a polished focal point, with dual-mount installation flexibility on all models **except FC-3320-S**. The glazed surface supports cleanability and long-term presentation in kitchens that need to look elevated after repeated use.

- **Material:** Kiln-fired fireclay with non-porous glazed surface.
- **Install:** Dual-mount installation on all models except FC-3320-S, which is undermount only.
- **Project value:** Delivers a high-end sink option with added installation flexibility for projects where the kitchen is part of the design standard.



FITS 30" BASE CABINET

OVERALL SIZE (L x W)	DEPTH	MODEL #
27" x 19"	10"	FC-2719-S

FITS 33" BASE CABINET

OVERALL SIZE (L x W)	DEPTH	MODEL #
30" x 18"	10"	FC-3018-S


FITS 36" BASE CABINET

OVERALL SIZE (L x W)	DEPTH	MODEL #
32" x 19"	10"	FC-3219-S
33" x 20"	10"	FC-3320-S



FC-3320-S
FIRECLAY REVERSIBLE APRON FARMHOUSE SINK

33" x 20" x 10" fireclay tight-radius undermount sink designed for a 36" base cabinet, offering a polished focal point for elevated kitchen designs. Its **reversible apron front** gives projects two installation looks: Flat for a clean, minimalist presentation or Fluted for added texture and visual detail.




SINGLE BOWL GRANITE COMPOSITE UNDERMOUNT

This granite composite undermount sink gives properties a durable alternative to stainless. Its no-seal surface helps reduce upkeep and supports long-term ownership models where maintenance planning matters.

- **Material:** Quartz-rich granite composite.
- **Install:** Undermount installation.
- **Project value:** Helps reduce recurring maintenance tied to staining, scratching, and surface wear.

FITS 36" BASE CABINET

OVERALL SIZE (L x W)	DEPTH	MODEL #
31" x 18"	10"	GC-3118-10-S




DOUBLE BOWL GRANITE COMPOSITE UNDERMOUNT

This double-bowl granite composite sink adds everyday wash-and-rinse function with a lower-maintenance surface. It is a strong option for multifamily and hospitality operators who want a non-stainless look without adding sealing requirements.

- **Material:** Quartz-rich granite composite.
- **Install:** Undermount installation.
- **Project value:** Supports long service intervals and lower maintenance exposure.

FITS 36" BASE CABINET

OVERALL SIZE (L x W)	DEPTH	MODEL #
31" x 18"	10"	GC-3118-10-D



Sink: KH-3018-10-S-R0
Faucet: A-700-BN

FITS 18" BASE CABINET

OVERALL SIZE (L x W)	DEPTH	MODEL #
15" x 18"	9"	KH-1518-9-S-R0

FITS 24" BASE CABINET

OVERALL SIZE (L x W)	DEPTH	ADA MODEL # 
20" x 16"	5"	ADA-KH-2016-S-R0

FITS 27" BASE CABINET

OVERALL SIZE (L x W)	DEPTH	MODEL #
23" x 18"	10"	KH-2318-10-S-R0
25" x 22"	9"	KH-2522-9-S-R0-DM

FITS 30" BASE CABINET

OVERALL SIZE (L x W)	DEPTH	MODEL #
25" x 18"	9"	KH-2518-9-S-R0
27" x 18"	9"	KH-2718-9-S-R0
27" x 18"	10"	KH-2718-10-S-R0

FITS 33" BASE CABINET

OVERALL SIZE (L x W)	DEPTH	MODEL #
30" x 18"	10"	KH-3018-10-S-R0

FITS 36" BASE CABINET

OVERALL SIZE (L x W)	DEPTH	MODEL #
31" x 18"	9"	KH-3118-9-S-R0
32" x 18"	9"	KH-3218-9-S-R0

SINGLE BOWL ZERO RADIUS UNDERMOUNT

This zero-radius undermount sink gives high-end kitchens a clean architectural profile within a stainless platform. It is best suited for projects already planning stone fabrication and a more design-forward kitchen package.


- **Material:** 18-gauge 304 stainless steel.
- **Install:** Undermount installation with zero-radius corners.
- **Project value:** Creates a premium visual standard while keeping stainless durability in the specification.

ADA MODEL

ADA-compliant models use a reduced 5"–6" bowl depth to preserve the knee clearance required by ADA Standards at 34" counter height.



Sink: KH-3118-9-D-R0
Faucet: A-700-BN



FITS 36" BASE CABINET

OVERALL SIZE (L x W)	DEPTH	MODEL #
31" x 18"	9"	KH-3118-9-D-R0
32" x 18"	9"	KH-3218-9-D-R0
33" x 18"	9"	KH-3318-9-D-R0

DOUBLE BOWL ZERO RADIUS UNDERMOUNT

This double-bowl zero-radius sink gives luxury units and hospitality kitchens a sharper design profile with practical two-basin function. It supports elevated kitchen packages without moving away from familiar stainless performance.

- **Material:** 18-gauge 304 stainless steel.
- **Install:** Undermount installation with zero-radius corners.
- **Project value:** Combines premium styling with a serviceable stainless sink platform.



FITS 18" BASE CABINET

OVERALL SIZE (L x W)	DEPTH	MODEL #
15" x 18"	8"	KSN-1518-8-S

FITS 21" BASE CABINET

OVERALL SIZE (L x W)	DEPTH	MODEL #	ADA MODEL 
16" x 16"	8"	KSN-1616-8-S	—
18" x 16"	5"	—	ADA-KSN-1816-S

FITS 24" BASE CABINET

OVERALL SIZE (L x W)	DEPTH	MODEL #	ADA MODEL 
20" x 16"	9"	KSN-2016-9-S	ADA-KSN-2016-S
20" x 18"	9"	KSN-2018-9-S	—

STANDARD RADIUS UNDERMOUNT

This compact undermount bar sink works well in wet bars, prep zones, amenity rooms, and hospitality suites. Rounded corners support easier cleaning, while ADA-depth options help keep secondary sink areas aligned with accessibility needs.

- **Material:** 18-gauge 304 stainless steel.
- **Install:** Undermount installation.
- **Project value:** Helps standardize secondary sink locations across amenity and accessible spaces.

ADA MODEL 

ADA-compliant models use a reduced 5"–6" bowl depth to preserve the knee clearance required by ADA Standards at 34" counter height.



FITS 24" BASE CABINET

OVERALL SIZE (L x W)	DEPTH	MODEL #	ADA MODEL 
16" x 18"	9"	KH-1618-9-S-R20	ADA-KH-1618-S-R20

TIGHT RADIUS UNDERMOUNT

This tight-radius prep sink helps secondary sink areas coordinate with upgraded kitchen packages. It gives spec teams a cleaner look for wet bars and amenity spaces while keeping installation and maintenance familiar.

- **Material:** 18-gauge 304 stainless steel.
- **Install:** Undermount installation with tight-radius corners.
- **Project value:** Creates design continuity between primary kitchens and secondary sink locations.




Basket Strainer: SR-330-GL

GARBAGE DISPOSAL FLANGES & STRAINERS


These finish-matched disposal flanges and basket strainers complete the kitchen sink package. Coordinating the drain components with sink and faucet finishes helps reduce substitutions, punch-list issues, and extra purchase orders.

- **Material:** Finish-matched kitchen drain components.
- **Install:** Disposal flange and basket strainer assemblies for kitchen sink packages.
- **Project value:** Supports single-PO coordination across sink, faucet, and drain selections.


FINISH CODES: Black (BL) Gold (GL). Order finished models by adding the finish code to the base model number (ex: GF-330-GL).




FINISH OPTIONS		MODEL #
	Brushed Stainless	GF-220



FINISH OPTIONS		MODEL #
	Black	GF-330
	Brushed Gold	



FINISH OPTIONS		MODEL #
	Brushed Stainless	SR-220



FINISH OPTIONS		MODEL #
	Black	SR-330
	Brushed Gold	



FAUCET TESTING & QUALITY ASSURANCE

- **100% Water-Tested:** Guaranteed leak-free performance under high pressure.
- **Commercial-Grade Durability:** Certified to ASME A112.18.1/CSA B125.1 by IAPMO for 500,000+ cycles.
- **Certified Lead-Free:** Exceeds NSF/ANSI/CAN 61 (Q<1) health and safety standards.
- **ADA Compliant:** Lever handles fully meet ANSI A117.1 accessibility requirements.

Faucet: A-807-BN
Sink: KSN-2718-9-S

KITCHEN FAUCETS

From everyday residential use to large-scale project applications, Allora USA kitchen faucets deliver reliable performance, durable finishes, and versatile design flexibility. With practical features like pull-down sprayers, high-arc spouts, smooth controls, and straightforward setup, each faucet is designed to support efficient specification and dependable long-term use. A coordinated selection of styles and finishes makes it easy to meet project requirements while delivering consistent value at scale.

Explore the full kitchen faucet collection and access detailed specs at:
www.allorausea.com/kitchen-faucets




PULL-DOWN SPRAYER SINGLE HANDLE


This pull-down faucet collection offers one coordinated family for units, amenities, and hospitality spaces, with multiple profiles and finishes to keep designs consistent.

FINISH CODES: Brushed Nickel (BN) Chrome (C) Black (BL) Gold (GL). Order finished models by adding the finish code to the base model number (ex: A-807-BN).


- **Construction:** Lead-free single-handle faucet construction.
- **Install:** Single-hole installation, with deckplate compatibility on applicable models.
- **Flow:** 1.8–2.1 GPM by model.




FINISH OPTIONS		MODEL #
	Chrome	A-710-C




FINISH OPTIONS				MODEL #
 Brushed Nickel	 Chrome	 Black	 Gold	A-805




FINISH OPTIONS				MODEL #
 Brushed Nickel	 Chrome	 Black	 Gold	A-806



FINISH OPTIONS			MODEL #
 Brushed Nickel	 Chrome	 Black	A-807




FINISH OPTIONS				MODEL #
 Brushed Nickel	 Chrome	 Black	 Gold	A-810



FINISH OPTIONS			MODEL #
 Brushed Nickel	 Chrome	 Black	A-811



Faucet: A-809-BN
Sink: KH-3018-9-S-R20




FINISH OPTIONS			MODEL #
 Brushed Nickel	 Chrome	 Black	A-809



STANDARD SINGLE HANDLE

This single-handle kitchen faucet collection is built for straightforward replacement work and value-driven project scopes. Fixed-spout and side-spray options give property teams practical choices for large multifamily programs.

- **Construction:** Lead-free single-handle faucet construction.
- **Install:** Deck-mounted installation for standard kitchen applications.
- **Flow:** 1.8 GPM.



FINISH OPTIONS	MODEL #
 Chrome	B-100-C



FINISH OPTIONS	MODEL #
 Chrome	B-101-C




Sink: VCS-1316-O
Faucet: A-7004-BN

BATHROOM SINKS

Allora USA vitreous china bathroom sinks provide a durable, easy-to-coordinate sink solution for residential, multifamily, hospitality, and commercial bathrooms. With a range of sizes, shapes, mounting configurations, and ADA-compliant options, the collection makes it easier to meet design requirements while maintaining dependable performance across projects of varying scale. Built for everyday use with a smooth, easy-to-clean surface and consistent finished appearance, these sinks deliver practical value from procurement through final turnover.

Explore the full bathroom sink collection and access detailed specs at:
www.allorausea.com/bathroom-sinks




FLAT BOTTOM RECTANGULAR UNDERMOUNT

This simple rectangular undermount sink works well for vanities, powder rooms, and secondary bathrooms. The flat bottom and straight sides provide usable bowl space and a clean, simple look.

- **Material:** Vitreous china.
- **Install:** Undermount vanity installation.
- **Project value:** Supports small bath layouts without adding custom installation requirements.

FLAT BOTTOM RECTANGULAR UNDERMOUNT

OVERALL SIZE (L x W)	DEPTH	MODEL #
18" x 12"	5"	VCS-1016-R
17" x 13"	4"	VCS-1115-R
20" x 16"	5"	VCS-1317-R
16" x 16"	5"	VCS-1414-R



CURVED BOTTOM RECTANGULAR UNDERMOUNT

This rectangular undermount sink has a smooth curved bowl that is easy to clean. It works well in standard bathroom vanities and can be selected in shallow versions where accessible layouts are needed.


- **Material:** Vitreous china.
- **Install:** Undermount vanity installation.
- **Project value:** Helps reduce cleaning friction while supporting accessible-unit standardization.

CURVED BOTTOM RECTANGULAR UNDERMOUNT

OVERALL SIZE (L x W)	DEPTH	MODEL #	ADA MODEL 
18" x 13"	5"	VCS-1116-R	ADA-VCS-1116-R
21" x 14"	6"	VCS-1218-N-R	ADA-VCS-1218-R
21" x 15"	6"	VCS-1318-R	ADA-VCS-1318-R

ADA MODEL

Shallow bathroom sinks can help preserve knee clearance under a 34" maximum counter or rim height. Final ADA compliance depends on the full installation, including sink depth, counter height, knee and toe clearance, protected plumbing, and clear floor space.



ANGLED BOTTOM RECTANGULAR UNDERMOUNT

OVERALL SIZE (L x W)	DEPTH	MODEL #	ADA MODEL 
18" x 14"	5"	VCS-1216-R	—
21" x 15"	6"	VCS-1218-R	ADA-VCS-1218-R
24" x 17"	6"	VCS-1421-R	—


ANGLED BOTTOM RECTANGULAR UNDERMOUNT

This rectangular undermount sink has angled interior walls for a cleaner, more modern look. It keeps the familiar undermount installation while giving the vanity a more spacious appearance.

- **Material:** Vitreous china.
- **Install:** Undermount vanity installation.
- **Project value:** Adds a design upgrade without changing rough-in or countertop expectations.

ADA MODEL

Shallow bathroom sinks can help preserve knee clearance under a 34" maximum counter or rim height. Final ADA compliance depends on the full installation, including sink depth, counter height, knee and toe clearance, protected plumbing, and clear floor space.




ARCHED FRONT RECTANGULAR UNDERMOUNT

OVERALL SIZE (L x W)	DEPTH	MODEL #
21" x 15"	5"	VCS-1218-A-R

ARCHED FRONT RECTANGULAR UNDERMOUNT

This rectangular undermount sink has a soft arched front for a unique and tasteful look. It adds visual interest while keeping the same basic undermount installation.

- **Material:** Vitreous china.
- **Install:** Undermount vanity installation.
- **Project value:** Offers a simple upgrade path for higher-tier bath packages.



NARROW RECTANGULAR UNDERMOUNT

This narrow rectangular undermount sink is designed for tight countertop spaces and shallow vanity layouts. Its compact size helps preserve counter space and leaves more room for faucet placement.

- **Material:** Vitreous china.
- **Install:** Undermount vanity installation.
- **Project value:** Supports accessibility and senior living applications with a familiar install format.

SLOPED FRONT RECTANGULAR UNDERMOUNT

OVERALL SIZE (L x W)	DEPTH	MODEL #
18" x 14"	7"	VCS-1118-R



OVAL UNDERMOUNT

This classic oval undermount sink works well in standard bathroom vanities. It is a familiar option for renovations, multifamily projects, and other bathrooms where a consistent look is needed.


- **Material:** Vitreous china.
- **Install:** Undermount vanity installation.
- **Project value:** Helps maintain a consistent bath look across large portfolios.

OVAL UNDERMOUNT

OVERALL SIZE (L x W)	DEPTH	MODEL #	ADA MODEL 
15" x 12"	7"	VCS-1013-O	—
16" x 13"	7"	VCS-1114-O	—
17" x 14"	8"	VCS-1215-O	—
18" x 15"	8"	VCS-1316-O	—
19" x 16"	8"	VCS-1417-O	ADA-VCS-1417-O

ADA MODEL

Shallow bathroom sinks can help preserve knee clearance under a 34" maximum counter or rim height. Final ADA compliance depends on the full installation, including sink depth, counter height, knee and toe clearance, protected plumbing, and clear floor space.




RECTANGULAR TOP MOUNT

This rectangular drop-in sink is a good option for replacements, unit turns, and bathroom refreshes. The self-rimming edge sits on top of the counter and helps cover the countertop opening.

- **Material:** Vitreous china.
- **Install:** Top-mount/drop-in installation.
- **Project value:** Speeds up bath upgrades without requiring full countertop replacement.

RECTANGULAR TOP MOUNT

OVERALL SIZE (L x W)	DEPTH	MODEL #
23" x 18"	9"	VCS-2318-R-T




ARCHED FRONT RECTANGULAR TOP MOUNT

This arched-front drop-in sink gives renovation projects a softer, more artistic look. It keeps installation simple while improving the appearance of the vanity area.

- **Material:** Vitreous china.
- **Install:** Top-mount/drop-in installation.
- **Project value:** Balances improved bath presentation with fast replacement work.

ARCHED FRONT RECTANGULAR TOP MOUNT

OVERALL SIZE (L x W)	DEPTH	MODEL #
23" x 19"	8"	VCS-2319-A-R-T




RECTANGULAR SEMI-RECESSED VESSEL

This semi-recessed sink works well for compact vanities and limited counter depth. Part of the bowl sits forward of the counter, giving the bathroom a stronger design feature without needing a full-depth vanity.

- **Material:** Vitreous china.
- **Install:** Semi-recessed vessel installation.
- **Project value:** Supports compact layouts while giving the bath a more intentional design feature.

SEMI-RECESSED VESSEL SINK

OVERALL SIZE (L x W)	DEPTH	MODEL #
16" x 16"	6"	VCS-1616-R-T



RECTANGULAR WALL MOUNT

This wall-mounted sink keeps the floor open for cleaning, access, and tight bathroom layouts. It can work well in hospitality, public-use, compact, or accessible bathrooms when installed with the correct wall support and clearances.

- **Material:** Vitreous china.
- **Install:** Wall-mounted installation.
- **Project value:** Helps simplify floor cleaning and supports space-conscious bath planning.

RECTANGULAR WALL MOUNT

OVERALL SIZE (L x W)	DEPTH	MODEL #
19" x 18"	9"	WMC-1918-R



FAUCET TESTING & QUALITY ASSURANCE

- **100% Water-Tested:** Guaranteed leak-free performance under high pressure.
- **Commercial-Grade Durability:** Certified to ASME A112.18.1/CSA B125.1 by IAPMO for 500,000+ cycles.
- **Certified Lead-Free:** Exceeds NSF/ANSI/CAN 61 (Q<1) health and safety standards.
- **Eco-Friendly:** EPA WaterSense certified for water efficiency.
- **ADA Compliant:** Lever handles fully meet ANSI A117.1 accessibility requirements.

Faucet: A-7006-C
Sink: VCS-1218-R

BATHROOM FAUCETS

For bathrooms that require consistency across varied layouts and project types, Allora USA bathroom faucets provide clean styling, durable finishes, and flexible configurations. With single hole, centerset, and widespread options suited for a range of sink styles and installation requirements, the collection supports coordinated design across multi-unit and large-scale installations. Built for smooth operation, reliable water delivery, and long-term value, these faucets help streamline procurement, installation, and finished project presentation.

Explore the full bathroom faucet collection and access detailed specs at:

www.allorausea.com/bathroom-faucets




SINGLE HOLE


This single-hole lavatory faucet collection gives spec teams an easy product with one handle and one hole. The minimal footprint suits modern bath profiles and installs fastest of the three, ideal for new vanities and contemporary multifamily and hospitality builds.

FINISH CODES: Brushed Nickel (BN) Chrome (C) Black (BL). Order finished models by adding the finish code to the base model number (ex: A-6550-BN).


- **Construction:** Lead-free single-handle faucet construction.
- **Install:** Single-hole installation, with deckplate coverage available on select models. Deckplates sold separately.
- **Flow:** 1.2 GPM.




FINISH OPTIONS		MODEL #
☐ Brushed Nickel	☐ Chrome	A-6550




FINISH OPTIONS			MODEL #
☐ Brushed Nickel	☐ Chrome	☐ Black	A-7001




FINISH OPTIONS			MODEL #
☐ Brushed Nickel	☐ Chrome	☐ Black	A-7002



FINISH OPTIONS			MODEL #
☐ Brushed Nickel	☐ Chrome	☐ Black	A-7004



FINISH OPTIONS			MODEL #
☐ Brushed Nickel	☐ Chrome	☐ Black	A-7005




FINISH OPTIONS			MODEL #
☐ Brushed Nickel	☐ Chrome	☐ Black	A-7006


CENTERSET BATHROOM FAUCETS

This centerset collection covers faucets with a 4" spread, one of the most common setups in existing vanities. Drops straight into most predrilled setups for fast, repeatable replacements during unit turns.


- **Construction:** Lead-free faucet construction with single- and dual-handle options.
- **Install:** Centerset installation for standard three-hole vanity decks.
- **Flow:** 1.2 GPM.




FINISH OPTIONS		MODEL #
Brushed Nickel	Chrome	A-6560




FINISH OPTIONS			MODEL #
Brushed Nickel	Chrome	Black	A-7022




FINISH OPTIONS			MODEL #
Brushed Nickel	Chrome	Black	A-7024



FINISH OPTIONS	MODEL #
Chrome	B-4000-C




FINISH OPTIONS	MODEL #
Chrome	B-4001-C



FINISH OPTIONS		MODEL #
Brushed Nickel	Chrome	B-4004



Faucet: A-6570-BN
Sink: VCS-1218-R




FINISH OPTIONS		MODEL #
Brushed Nickel	Chrome	A-6570


WIDESPREAD BATHROOM FAUCETS

This widespread lavatory faucet collection with handles set 8" apart from the spout, fitting standard widespread drillings. The separated layout reads as the more premium configuration, making it the natural pick for upgraded units, hospitality suites, and elevated renovations.

- **Construction:** Lead-free three-piece faucet construction.
- **Install:** Widespread installation for three-hole vanity decks.
- **Flow:** 1.2 GPM.



FINISH OPTIONS			MODEL #
Brushed Nickel	Chrome	Black	A-7012



FINISH OPTIONS			MODEL #
Brushed Nickel	Chrome	Black	A-7014




Toilet: TL-100-L
Toilet Paper Holder: BAC-72-BN

ELONGATED TOILETS

Built for dependable daily use across residential, multifamily, hospitality, and commercial settings, Allora USA toilets combine practical design with durable construction. With comfort height and standard height options suited for a range of bathroom layouts and installation requirements, the collection supports coordinated design, reliable flushing, and long-term performance. Designed to streamline procurement, installation, and finished project presentation, these toilets help deliver consistent quality across projects of varying scale.

Explore the full toilet collection and access detailed specs at:
www.allorausea.com/toilets



TRADITIONAL 2-PIECE ELONGATED TOILETS

This two-piece elongated toilet line gives multifamily and hospitality projects a familiar, serviceable bath standard. Height and lever options help spec teams manage accessibility, replacement planning, and portfolio consistency.

- **Material:** Vitreous china.
- **Install:** Floor-mounted installation for standard 12-inch rough-ins.
- **Flush:** 1.28 GPF single flush.

COMFORT HEIGHT VS. STANDARD HEIGHT TOILETS

Comfort height toilets sit higher—typically about 17–19 inches from floor to seat—making them easier for taller users or those with mobility concerns.


Standard height toilets are lower, usually about 14–16 inches, and may be more comfortable for children or shorter users.

COMFORT HEIGHT TRADITIONAL ELONGATED TOILET

OVERALL SIZE (H x D)	LEVER LOCATION	MODEL #
30" x 28"	Left	TL-100-L
30" x 28"	Right	TL-100-R

STANDARD HEIGHT TRADITIONAL ELONGATED TOILET

OVERALL SIZE (H x D)	LEVER LOCATION	MODEL #
29" x 28"	Left	TL-101-L
29" x 28"	Right	TL-101-R



SKIRTED 2-PIECE ELONGATED TOILET

This skirted two-piece toilet gives bathrooms a cleaner finished look while reducing exposed exterior surfaces. The complete installation kit helps purchasing teams control parts and avoid missing components on larger projects.

- **Material:** Vitreous china.
- **Install:** Floor-mounted installation for standard 12-inch rough-ins.
- **Flush:** 1.28 GPF single flush.

COMFORT HEIGHT SKIRTED ELONGATED TOILET

OVERALL SIZE (H x D)	LEVER LOCATION	MODEL #
32" x 28"	Left	TL-200-L



SHOWER SYSTEM TESTING & QUALITY ASSURANCE

- **100% Pressure-Tested:** Guaranteed leak-free performance across all valves and showerheads.
- **Commercial-Grade Durability:** Certified to ASME A112.18.1/CSA B125.1 by IAPMO for 500,000+ cycles.
- **Certified Lead-Free:** Exceeds NSF/ANSI/CAN 61 (Q<1) health and safety standards.
- **Eco-Friendly:** EPA WaterSense certified for maximum water efficiency without sacrificing pressure.
- **ADA Compliant:** Diverter and controls fully meet ANSI A117.1 accessibility requirements.

Tub & Shower Trim Kit: ST-7008-SH-C

SHOWER SYSTEMS

Allora USA shower systems help create coordinated bathroom spaces with durable finishes, practical configurations, and designs suited for a wide variety of project applications. With solutions that support varied bathroom layouts, installation requirements, and ADA-compliant needs, the collection streamlines design coordination, procurement, and jobsite execution. Built for reliable water delivery, smooth operation, and long-term use, these shower systems deliver consistent quality from planning through final project completion.

Explore the full shower system collection and access detailed specs at:

www.alloraus.com/showers




TUB & SHOWER TRIM KIT WITH SHOWER HEAD

This tub/shower trim kit gives standard bath installations a coordinated handle, spout, and shower head package. It pairs with an anti-scald pressure-balancing valve to support safer, more consistent installs across unit types.


- **Material:** Reinforced zinc, Stainless Steel, ABS.
- **Install:** Tub/shower trim kit for use with the AL7-01 pressure balancing rough-in valve.
- **Flow:** 1.8 GPM shower flow.



FINISH OPTIONS			MODEL #
Brushed Nickel	Chrome	Black	ST-7001-SH



FINISH OPTIONS			MODEL #
Brushed Nickel	Chrome	Black	ST-7002-SH





FINISH OPTIONS			MODEL #
Brushed Nickel	Chrome	Black	ST-7004-SH

MODEL #: AL7-01 (SOLD SEPARATELY)

PRESSURE BALANCING ROUGH-IN VALVE WITH STOPS

Anti-scald brass body with integral stops. For standard single-outlet tub/shower and shower-only rough-ins.






SHOWER TRIM KIT WITH INTEGRATED DIVERTER & HAND SHOWER

This trim kit combines diverter control, hand shower, slide bar, and matching visible components into one package. It supports upgraded and accessible shower layouts while reducing the need to source exposed parts separately.

- **Material:** Reinforced zinc, Stainless Steel, ABS.
- **Install:** Multi-outlet shower trim kit for use with the AL7-08 pressure-balancing diverter valve.
- **Flow:** 1.8 GPM.

SHOWER TRIM KIT WITH HAND SHOWER

FINISH OPTIONS			MODEL #
 Brushed Nickel	 Chrome	 Black	ST-7018-SH




TUB & SHOWER TRIM KIT WITH INTEGRATED DIVERTER & HAND SHOWER

This tub/shower trim kit adds hand-shower flexibility to a standard bath layout. The coordinated package helps purchasing teams control SKUs while giving residents and guests more adaptable shower use.

- **Material:** Reinforced zinc, Stainless Steel, ABS.
- **Install:** Multi-outlet shower trim kit for use with the AL7-08 pressure-balancing diverter valve.
- **Flow:** 1.8 GPM shower flow.

TUB & SHOWER TRIM KIT WITH HAND SHOWER

FINISH OPTIONS			MODEL #
 Brushed Nickel	 Chrome	 Black	ST-7008-SH




MODEL #: AL7-08 (SOLD SEPARATELY)

PRESSURE BALANCING ROUGH-IN VALVE WITH DIVERTER & STOPS


Brass body with integral stops and anti-scalding. Includes three outlet diverter valve for tub, handheld shower, and overhead shower outlets.



FINISH OPTIONS			MODEL #
Brushed Nickel	Chrome	Black	ST-7011-SH



FINISH OPTIONS			MODEL #
Brushed Nickel	Chrome	Black	ST-7012-SH




FINISH OPTIONS			MODEL #
Brushed Nickel	Chrome	Black	ST-7014-SH



SINGLE HANDLE SHOWER TRIM KIT WITH SHOWER HEAD

This shower trim collection helps project teams coordinate finishes across shower-only installations while specifying rough-in valves separately. It is a clean solution for standard bath packages that need consistent visible components.

- **Material:** Reinforced zinc, Stainless Steel, ABS.
- **Install:** Shower trim kit for use with the AL7-01 pressure balancing rough-in valve.
- **Flow:** 1.8 GPM.




DUAL SHOWER HEAD COMBO WITH SLIDE BAR

This shower system combines an overhead spray, hand shower, slide bar, and built-in diverter in one coordinated package. It is a practical upgrade for accessible units, senior living projects, and retrofit work where opening the wall is not ideal.

- **Construction:** Wall-mounted shower system with overhead and hand-shower components.
- **Install:** Surface-mounted system that connects to a standard shower arm.
- **Flow:** 1.8 GPM.

DUAL OVERHEAD SPRAY & HAND SHOWER COMBO

FINISH OPTIONS			MODEL #
 Brushed Nickel	 Chrome	 Black	ADA-ST-71



MULTI-FUNCTION SPRAY HAND SHOWER WITH SLIDE BAR

This hand-shower system gives users adjustable height, spray control, and extended reach from one coordinated package. It works well for ADA-focused bathrooms, senior living, shared-use spaces, and renovation programs.


- **Construction:** Wall-mounted hand shower with slide bar.
- **Install:** Surface-mounted installation with adjustable positioning.
- **Flow:** 1.8 GPM.

MULTI-FUNCTION SPRAY HAND SHOWER

FINISH OPTIONS			MODEL #
 Brushed Nickel	 Chrome	 Black	ADA-ST-72



Rectangular Walk-In Shower Base




RECTANGULAR SHOWER BASES

OVERALL SIZE (L x W)	THRESHOLD HEIGHT	MODEL #
60" x 30"	3"	SP-6030-10
60" x 32"	3"	SP-6032-10
60" x 36"	3"	SP-6036-10

RECTANGULAR WALK-IN SHOWER BASES

These reinforced acrylic shower bases are built for alcove installations, tub-to-shower conversions, and new bath layouts. The standard install format helps control labor across high-volume renovation programs.

- **Material:** Reinforced acrylic.
- **Install:** Alcove walk-in shower base installation.
- **Project value:** Supports repeatable shower planning for renovations and new construction.




SQUARE WALK-IN SHOWER BASES

OVERALL SIZE (L x W)	THRESHOLD HEIGHT	MODEL #
32" x 32"	3"	SP-3232-10
36" x 36"	3"	SP-3636-10
48" x 48"	3"	SP-4848-10

SQUARE WALK-IN SHOWER BASES

These reinforced acrylic square bases give project teams a compact walk-in shower option for tight bathrooms, guest baths, and conversion work. They help add shower function where footprint and install speed matter.

- **Material:** Reinforced acrylic.
- **Install:** Walk-in shower base installation.
- **Project value:** Useful for space-constrained unit layouts and secondary baths.



LOW-THRESHOLD SHOWER BASES

OVERALL SIZE (L x W)	THRESHOLD HEIGHT	MODEL #
60" x 32"	1/2"	ADA-SP-6032-10
62" x 32"	1/2"	ADA-SP-6232-10
62" x 38"	1/2"	ADA-SP-6238-10


LOW-THRESHOLD SHOWER BASES

These low-threshold shower bases are designed for tub-to-shower conversions, senior living, aging-in-place, and assisted-bathing applications. The low-profile threshold helps reduce step-over height compared with traditional curbed showers, making these bases a practical option for projects where easier entry is a priority.


- **Material:** Reinforced acrylic with anti-slip surface.
- **Install:** Low-threshold shower base installation.
- **Project value:** Supports replacement and retrofit projects, senior living, and accessible-style bathroom planning for a wider range of users.



Explore the full shower base collection and access detailed specs at:
www.allorause.com/shower-bases



FINISH OPTIONS			MODEL #
☐ Brushed Nickel	☐ Chrome	☐ Black	BAC-72




4-PIECE BATHROOM ACCESSORY SETS


These matched accessory sets package the towel bar, towel ring, toilet paper holder, and robe hook under one SKU. That keeps finish coordination cleaner, reduces ordering mistakes, and helps installers close out bathrooms faster.

- **Material:** Reinforced Zinc, Stainless Steel
- **Install:** Coordinated wall-mounted bath accessory set.
- **Project value:** Reduces finish mismatches and simplifies bath package purchasing.


Explore the full bathroom accessory collection and access detailed specs at: www.allorausea.com/bathroom-accessories



FINISH OPTIONS			MODEL #
☐ Brushed Nickel	☐ Chrome	☐ Black	BAC-74



FINISH OPTIONS			MODEL #
☐ Brushed Nickel	☐ Chrome	☐ Black	BAC-75



FINISH OPTIONS			MODEL #
☐ Brushed Nickel	☐ Chrome	☐ Black	BAC-76



THE ALLORA ADVANTAGE

TRADE PROGRAM FASTER, SMARTER ORDERING

A self-serve ordering portal built for trade professionals. Wholesale pricing, bulk and multi-location project management, and one-click reorders for repeat jobs. Free to apply, with custom pricing unlocked the moment you're approved.



WHOLESALE TIERED PRICING

Custom pricing scaled to your volume, applied automatically once you're logged in.



FAST ORDERING & REORDERS

Quick Order by SKU, build carts from CSV, PDF, or barcode, and duplicate past orders in one click.



CENTRALIZED ACCOUNT

Order history, real-time status, downloadable invoices, saved addresses, and product reports in one place.



SHOPPING LISTS & TEAMS

Standardize frequent buys, build orders from saved lists, and share them across your team.



FLEXIBLE TERMS

Approved payment and shipping options at checkout, with shipping costs shown before you order.



SAME-DAY SHIPPING

In-stock orders placed by 12 PM EST ship the same day, with 24/7 self-serve access.

UNLOCK **WHOLESALE PRICING**
& FASTER PROJECT TURNAROUNDS.

Apply now at:

www.allorausea.com/allora-advantage

Phone: 571-291-3484

Sales: sales@allorausea.com

Customer Service: customerservice@allorausea.com

Office: 22713 Commerce Center Ct., Ste 140, Dulles, VA 20166

www.allorausea.com

